PRICE LIST



Limousine (5F07) from 2017/01

From the racetrack to the road








ABT Engine Technology

	Description	Order No.	Price in Euro excl. VAT*	
ABT Power	2,0 TDI 110 kW (150 HP), 340 Nm to approx. 132 kW (180 HP) 380 Nm engine code: DFFA	5F071020180DFFA/1	1.588,24	D
	1,5 TSI 110 kW (150 HP), 250 Nm to approx. 140 kW (190 HP), 290 Nm engine code: DPCA	5F071515190DPCA/1	1.588,24	D
	2,0 TSI 213 kW (290 HP), 380 Nm to approx. 250 kW (340 HP), 430 Nm engine code: DNUC, only for vehicles with automatic transmission	V3501020340DNUC/1	2.512,61	D
	1,5 T(F)SI 110 kW (150 HP), 250 Nm to approx. 140 kW (190 HP), 290 Nm engine code: DFYA	V3501515190DFYA/1	1.588,24	D
assembly	assembly per engine upgrade		252,10	



In some cases, a TÜV certificate is only available at a later date. Please inform yourself before the performance increase whether the TÜV certificate for your vehicle variant is already available.

Please check the already installed tires with regard to the speed release. If the tire is not released up to the specified maximum speed, appropriate tires must be installed as an alternative to the ABT Power performance upgrade.



ABT wheel sets

ABT wheel sets

FR

SEAT LEON LIMOUSINE (5F07) FROM 01/17

ER-C20 - 9,0 x 20 - bolt circle: 5/112 - offset: 40 - center bore: 66,45 mm - ball: 25,6 mm

FR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 40 - hub diameter: 66,45 mm - ball: 25,6 mm

GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60°

color: matt black - incl. wheel center rings AN5571665-DR

color: mystic black - incl. wheel center rings AN5571665-DR

ABT - SPORT GR20 GLOSSY BLACK - SPORT ALLOY WHEEL SET

ABT - FR20 - SPORT ALLOY WHEEL SET

color: glossy black



3.831,93

3.831.93

FFRC2085401266-02

FGRC2085451257GB-1-01

	ABT Sport Wheels			
	Description	Order No.	Price in Euro excl. VAT*	_
ABT wheel sets DR	ABT - DR18 - SPORT ALLOY WHEEL SET DR18 - 8,5 x 18 - bolt circle: 5/112 - offset: 50 - hub diameter: 57,1 mm - ball: 25,6 mm color: mystic black	FDR1885501257MB-01	2.285,71	C
ABT wheel sets ER-C	ABT - ER-C18 - SPORT ALLOY WHEEL SET ER-C18 - 8,5 x 18 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - ball: 25,6 mm color: matt black	FERC1885451257MB-2-01	2.285,71	C
	ABT - SPORT ER-C19 MATT BLACK ALLOY WHEEL SET ER-C19 - 8.5 x 19 - bolt circle: 5/112 - offset: 45 - hub diameter: 57.1 mm - ball: 25.6 mm color: matt black	FERC1985451257MB-1-01	2.655,46	C
	ABT - ER-C20 - SPORT ALLOY WHEEL SET	FERC2090401266MB-02	3.831,93	C

* Prices do not include VAT, freight charges and import costs.





16	D)
10	W
10	رب

ABT Sport Wheels

	Description	Order No.	Price in Euro excl. VAT*	-
ABT wheel sets GR	ABT - SPORT GR20 MATT BLACK - SPORT ALLOY WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: matt black / diamond polished	FGRC2085451257MB-01	3.831,93	С
ABT complete wheel sets DR	ABT - DR18 COMPLETE WHEEL SET DR18 - 8.5 x 18 - bolt circle: 5/112 - offset: 50 - hub diameter: 57.1 mm - ball: 25.6 mm color: mystic black - incl. tyres: 225/40 R18	DR1885501257MB-22540-01	2.857,14	С
ABT complete wheel sets ER-C	ABT - ER-C18 COMPLETE WHEEL SET ER-C18 - 8.5 x 18 - bolt circle: 5/112 - offset: 45 - hub diameter: 57.1 mm - ball: 25.6 mm color: matt black - incl. tyre: 225/40 R18	ERC1885451257MB22254001	2.857,14	С
	ABT - ER-C19 WHEELSET WITH TYRE ER-C19 - 8.5 x 19 - bolt circle: 5/112 - offset: 45 - hub diameter: 57.1 mm - ball: 25.6 mm color: matt black - incl. tyre: 225/35 R19	ERC1985451257MB-22535-01	3.411,76	С
	ABT - ER-C20 COMPLETE WHEEL SET ER-C20 - 9.0 x 20 - bolt circle: 5/112 - offset: 40 - hub diameter: 66.5 mm - ball: 25.6 mm color: matt black - incl. tyre: 235/30 R20 - incl. wheel center rings AN5571665-DR	ERC2090401266MB-23530-02	5.176,47	С
ABT complete wheel sets FR	ABT - FR20 COMPLETE WHEEL SET FR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 40 - hub diameter: 66,45 mm - ball: 25,6 mm color: mystic black - incl tyre: 235/30 R20 - incl. wheel center rings AN5571665-DR	FRC2085401266-23530-02	5.176,47	С







ABT Sport Wheels

	Description	Order No.	Price in Euro excl. VAT*	
ABT complete wheel sets GR	ABT - SPORT GR20 GLOSSY BLACK - COMPLETE WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: glossy black - incl. tyre: 235/30 R20	GRC2085451257GB12353001	5.176,47	С
	ABT - SPORT GR20 GLOSSY BLACK - COMPLETE WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: matt black / diamond polished - incl tyre: 235/30 R20	GRC2085451257MB-23530-01	5.176,47	С
Montage	Montage per ABT complete wheel set		56,30	
ABT valves / RDKS	4 valve caps with ABT logo	ANA000010	23,53	С



FROM NOVEMBER 2014 ON ALL VEHICLES ARE EQUIPPED WITH A TIRE PRESSURE MONITORING SYSTEM.

- 1. Indirectly measuring tire pressure monitoring system: No sensors are needed in the rims, because the measurement is made via the tire circumference.
- 2. Directly measuring tire pressure monitoring system: The tire pressure monitoring sensors are installed directly in each wheel. Please indicate when ordering whether the vehicle has installed a directly or indirectly measuring system. With a directly measuring system, additional costs are incurred due to the integration of the sensors.





ABT Suspensio
ABI Suspension

	Description Description	Order No.	Price in Euro excl. VAT*	
ABT anti roll bars	ABT - ANTI-ROLL BARS for front- and rear axle suitable for all vehicles based on the platform MQB, with front wheel drive and multi-link rear axle	5G0507300	512,61	С
assembly	assembly per Sportstabilisatoren		924,37	



ABT Suspension products may imply restrictions when mounted. You can find about applying restrictions (lesser lowering of suspension setting on vehicles with sport suspension ex factory or no mounting on vehicles with certain features etc.) in ABT Configurator, at ABT partners or directly at ABT Sportsline.

It is possible that additional costs occur when mounting ABT Suspension products. These costs are not implied with the general assembly costs. Current manufacturer instructions have to be followed.