PRICE LIST



Shooting Brake (3G81) from 2020/12

From the racetrack to the road





VW ARTEON R SHOOTING BRAKE (3G81) FROM 12/20



1	•

ABT Engine Technology

	Description	Order No.	Price in Euro excl. VAT*	
ABT Power	2.0 TSI 235 kW (320 HP), 420 Nm to approx. 282 kW (384 HP), 470 Nm engine code: DNFG	V3501520384DNFG/1	2.512,61	D
assembly	assembly per engine upgrade		252,10	



In some cases, a TÜV certificate is only available at a later date. Please inform yourself before the performance increase whether the TÜV certificate for your vehicle variant is already available.

Please check the already installed tires with regard to the speed release. If the tire is not released up to the specified maximum speed, appropriate tires must be installed as an alternative to the ABT Power performance upgrade.



VW ARTEON R SHOOTING BRAKE (3G81) FROM 12/20





ABT Sport Wheels

	Description	Order No.	Price in Euro excl. VAT*	,
ABT wheel sets GR	ABT - SPORT GR20 GLOSSY BLACK - SPORT ALLOY WHEEL SET GR20 - 9.0 x 20 - bolt circle: 5/112 - offset: 33 - hub diameter: 66.5 mm - cone: 60° color: glossy black - incl. wheel center rings AN5571665-DR RSQ3_83A0 only for vehicles without ceramic brakes	FGRC2090331266GB-1-02	3.831,93	С
	ABT - SPORT GR20 MATT BLACK - SPORT ALLOY WHEEL SET GR20 - 9.0 x 20 - bolt circle: 5/112 - offset: 33 - hub diameter: 66.5 mm - cone: 60° color: matt black / diamond polished - incl. wheel center rings AN5571665-DR RSQ3_83A0 only for vehicles without ceramic brakes	FGRC2090331266MB-2-02	3.831,93	С
ABT complete wheel sets GR	ABT - SPORT GR20 GLOSSY BLACK - COMPLETE WHEEL SET GR20 - 9.0 x 20 - bolt circle: 5/112 - offset: 33 - hub diameter: 66.5 mm - cone: 60° color: glossy black - incl. tires 245/35 R20 - incl. wheel center rings AN5571665-DR	GRC2090331266GB12453502	5.176,47	С
Montage	Montage per ABT complete wheel set		56,30	
ABT valves / RDKS	4 valve caps with ABT logo	ANA000010	23,53	С



FROM NOVEMBER 2014 ON ALL VEHICLES ARE EQUIPPED WITH A TIRE PRESSURE MONITORING SYSTEM.

- 1. Indirectly measuring tire pressure monitoring system: No sensors are needed in the rims, because the measurement is made via the tire circumference.
- 2. Directly measuring tire pressure monitoring system: The tire pressure monitoring system. With a directly in each wheel. Please indicate when ordering whether the vehicle has installed a directly or indirectly measuring system. With a directly measuring system, additional costs are incurred due to the integration of the sensors.