PRICE LIST



Kompakt (5FAO) from 2020/10

From the racetrack to the road







ABT Engine Technology

	Description	Order No.	Price in Euro excl. VAT*	-
ABT Power	systempower: 1,4 ltr. TSIe from 150/180 kW (204/245 HP), 350/400 Nm to approx. 172/202 kW (234/275 HP) 390/440 Nm enginepower: 1,4 ltr. TSIe from 110 kW (150 HP), 250 Nm to approx. 132 kW (180 HP), 290 Nm engine code: DGEA, for vehicles with automatic gearbox	V3501514180DGEA/1	1.588,24	D
	2,0 TSI 180 kW (245 HP), 370 Nm to approx. 213 kW (290 HP), 410 Nm engine code: DNPA, for vehicles with automatic gearbox	V3501520290DNPA/1	2.512,61	D
	2,0 TSI 221 kW (300HP), 400 Nm to approx. 265 kW (360 HP), 450 Nm engine code: DNFC	V3501520360DNFC/1	2.512,61	D
assembly	assembly per engine upgrade		252,10	

As your premium partner for vehicle tuning, we offer you the best warranty services after a performance upgrade with up to **5 years warranty** after initial delivery of the vehicle. You can find the exact warranty conditions at: www.abt-sportsline.com/service-and-warranty

In some cases, a TÜV certificate is only available at a later date. Please inform yourself before the performance increase whether the TÜV certificate for your vehicle variant is already available.

Please check the already installed tires with regard to the speed release. If the tire is not released up to the specified maximum speed, appropriate tires must be installed as an alternative to the ABT Power performance upgrade.







ABT Aerodynamics

		Description	Order No.	Price in Euro excl. VAT*
ABT Aerodynamics	ABT - CUPRA LEON (GR20 GLOSSY BLACK) consisting off: ABT engine technology: ABT Power upgrade up to 265 kW (360 HP), 450 Nm engine code: DNFC (EU6AP)		5FA0020003	6.361,35
	ABT complete wheels: ABT Sport GR20 glossy black with tyres 235/30 R20			
	ABT suspension technology: ABT suspension springs, lowering approx. 25 - 30mm			
	Montage			1.260,50
	ABT - CUPRA LEON (GR20 MATT BLACK) consisting off: ABT engine technology: ABT Power upgrade up to 265 kW (360 HP), 450 Nm engine code: DNFC (EU6AP)		5FA0020004	6.361,35
	ABT complete wheels: ABT Sport GR20 matt black with tyres 235/30 R20			
	ABT suspension technology: ABT suspension springs, lowering approx. 25 - 30mm			
	Montage			1.260,50

ABT Aerodynamics products may imply restrictions and exclusions when mounted to series vehicles. You can find out about applying restrictions (not mountable on vehicle with/without S-line/R-line exterior package, coupling device etc.) in ABT Configurator, at ABT partners or directly at ABT Sportsline.





	ABT Sport Wheels				
	Description	Order No.	Price in Euro excl. VAT*	,	
ABT wheel sets ER-C	ABT - SPORT ER-C19 MATT BLACK ALLOY WHEEL SET ER-C19 - 8.5 x 19 - bolt circle: 5/112 - offset: 45 - hub diameter: 57.1 mm - ball: 25.6 mm color: matt black	FERC1985451257MB-1-01	2.655,46	С	
ABT wheel sets FR	ABT - FR20 - SPORT ALLOY WHEEL SET FR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 40 - hub diameter: 66,45 mm - ball: 25,6 mm color: mystic black - incl. wheel center rings AN5571665-DR	FFRC2085401266-02	3.831,93	С	
ABT wheel sets GR	ABT - SPORT GR20 GLOSSY BLACK - SPORT ALLOY WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: glossy black	FGRC2085451257GB-1-01	3.831,93	С	
	ABT - SPORT GR20 MATT BLACK - SPORT ALLOY WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: matt black / diamond polished	FGRC2085451257MB-01	3.831,93	С	





1	0	2
- (Ø	Ŋ

ABT Sport Wheels

	Description	Order No.	Price in Euro excl. VAT*	
ABT complete wheel sets ER-C	ABT - ER-C19 WHEELSET WITH TYRE ER-C19 - 8.5 x 19 - bolt circle: 5/112 - offset: 45 - hub diameter: 57.1 mm - ball: 25.6 mm color: matt black - incl. tyre: 235/35 R19	ERC1985451257MB-23535-01	3.411,76	С
ABT complete wheel sets FR	ABT - FR20 COMPLETE WHEEL SET FR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 40 - hub diameter: 66,45 mm - ball: 25,6 mm color: mystic black - incl tyre: 235/30 R20 - incl. wheel center rings AN5571665-DR	FRC2085401266-23530-02	5.176,47	С
ABT complete wheel sets GR	ABT - SPORT GR20 GLOSSY BLACK - COMPLETE WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: glossy black - incl. tyre: 235/30 R20	GRC2085451257GB12353001	5.176,47	С
	ABT - SPORT GR20 GLOSSY BLACK - COMPLETE WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: matt black / diamond polished - incl tyre: 235/30 R20	GRC2085451257MB-23530-01	5.176,47	С







ABT Sport Wheels

		Description	Order No.	Price in Euro excl. VAT*	
Montage	Montage per ABT complete wheel set			56,30	
ABT valves / RDKS	4 valve caps with ABT logo		ANA000010	23,53	С



FROM NOVEMBER 2014 ON ALL VEHICLES ARE EQUIPPED WITH A TIRE PRESSURE MONITORING SYSTEM

- 1. Indirectly measuring tire pressure monitoring system: No sensors are needed in the rims, because the measurement is made via the tire circumference.
- 2. Directly measuring tire pressure monitoring system: The tire pressure monitoring sensors are installed directly in each wheel. Please indicate when ordering whether the vehicle has installed a directly or indirectly measuring system. With a directly measuring system, additional costs are incurred due to the integration of the sensors.





>
_
<

ABT Suspension

	Description	Order No.	Price in Euro excl. VAT*
ABT suspension springs	ABT - SUSPENSION SPRINGS for vehicles with front wheel drive FA-load: from 1001 kg up to 1090 kg, RA-load: up to 940 kg lowering FA 25-30 mm, RA approx. 25-30 mm	5FA05020010	352,94 C
assembly	assembly per Fahrwerksfedern		1.075,63



ABT Suspension products may imply restrictions when mounted. You can find about applying restrictions (lesser lowering of suspension setting on vehicles with sport suspension ex factory or no mounting on vehicles with certain features etc.) in ABT Configurator, at ABT partners or directly at ABT Sportsline.

It is possible that additional costs occur when mounting ABT Suspension products. These costs are not implied with the general assembly costs. Current manufacturer instructions have to be followed.